

Whitney Double-X Hooded Cardigan



© 2011 by Judy Lamb

Experience Level:

Intermediate/Advanced

Size: Fits adult's chest size of 44 inches.
Approx. finished chest measurement: 48 inches.

Materials: Knitting needles, sizes 6 and 8 (US); cable needle; worsted weight yarn of color desired –about 1280-1300 yards of worsted weight yarn; stitch holders; buttons.

Gauge: 4 sts/inch on larger needles and in seed stitch.

Abbreviations:

C6F: slip 3 sts to cable needle and hold in front; k3, then k3 from cable needle
C6B: slip 3 sts to cable needle and hold in back; k3, then k3 from cable needle
LBC: slip 1 st to cable needle and hold in back; k3, then p1 from cable needle.
LFC: slip 3 sts to cable needle and hold in front; p1, then k3 from cable needle.
BC: slip 1 st to cable needle and hold in back, k2, then p1 from cable needle.
FC: slip 2 sts to cable needle and hold in front, p1, then k2 from cable needle.
SBC: sl 1 st to cable needle and hold in back, k1, then p1 from cable needle.
SFC: sl 1 st to cable needle and hold in front, p1, then k1 from cable needle.

Double-X Cable (30 sts)

Row 1: k5, p6, (k1, p1) 4 times, p6, k5.

Row 2: p5, C6F, (p1,k1) 4 times, C6F, p5.

Row 3: k5, p6, (k1, p1) 4 times, p6, k5.

Row 4: p5, k6, (p1,k1) 4 times, k6, p5.

Row 5: k5, p6, (k1, p1) 4 times, p6, k5.

Row 6: p5, k6, (p1, k1) 4 times, k6, p5.

Row 7: k5, p6, (k1, p1) 4 times, p6, k5.

Row 8: rep row 2.

Row 9: k5, p6, (k1, p1) 4 times, p6, k5.

Row 10: p4, LBC, LFC, (k1, p1) 3 times, LBC, LFC, p4.

Row 11: k4, p3, k2, p3, (p1, k1) 3 times, p3, k2, p3, k4.
 Row 12: p3, LBC, p2, LFC, (p1, k1) twice, LBC, p2, LFC, p3.
 Row 13: k3, p3, k4, p3, (k1,p1) twice, p3, k4, p3, k3.
 Row 14: p3, k3, p4, LFC, k,1, p1, LBC, p4, k3, p3.
 Row 15: k3, p3, k5, p3, p1, k1, p3, k5, p3, k3.
 Row 16: p3, LFC, p4, LFC, LBC, p4, LBC, p3.
 Row 17: k4, p3, k5, p6, k5, p3, k4.
 Row 18: p4, LFC, p4, C6B, p4, LBC, p4.
 Row 19: k5, p3, k4, p6, k4, p3, k5.
 Row 20: p5, LFC, p2, LBC, LFC, p2, LBC, p5.
 Row 21: k6, (p3, k2) 4 times, k4.
 Row 22: p6, LFC, LBC, p2, LFC, LBC, p6.
 Row 23: k7, p6, k4, p6, k7.
 Row 24: p7, C6F, p4, C6F, p7.
 Row 25: rep row 23.
 Row 26: p6, LBC, LFC, p2, LBC, LFC, p6.
 Row 27: rep row 21.
 Row 28: p5, LBC, p2, LFC, LBC, p2, LFC, p5.
 Row 29: k5, p3, k4, p6, k4, p3, k5.
 Row 30: p4, LBC, p4, C6B, p4, LFC, p4.
 Row 31: k4, p3, k5, p6, k5, p3, k4.
 Row 32: p3, LBC, p4, LBC, LFC, p4, LFC, p3.
 Row 33: k3, p3, k5, p3, k1, p1, p3, k5, p3, k3.
 Row 34: p3, k3, p4, LBC, p1, k1, LFC, p4, k3, p3.
 Row 35: k3, p3, k4, p3, (p1, k1)twice, p3, k4, p3, k3.
 Row 36: p2, LFC, p2, LBC, (k1, p1) twice, LFC, p2, LBC, p3.
 Row 37: k4, p3, k2, p3, (k1, p1) three times, p3, k2, p3, k4.
 Row 38: p4, LFC, LBC, (p1, k1) 3 times, LFC, LBC, p4.
 Repeat rows 1-38 for pattern.

Coin Cable

Row 1: p5
 Row 2: sl 4 sts to cable needle and hold in back, k1, then slip the last 3 of the sts on cable needle back to left hand needle; then (before knitting the sts) bring cable needle with the last st to front between needles, passing to the left of the yarn; then knit the 3 sts from left hand needle; then knit the last stitch from cable needle.
 Rows 3 and 5: p5.
 Rows 4 and 6: k5.
 Repeat rows 1-6 for pattern.

Wave Cable

Row 1: k2 ,p1, k2, p2, k1, p2, k2, p1, k2.
 Row 2: p2, k1, p2, sl next 3 sts to cable needle and hold in back, k2, then sl the purl st from cable needles back to left-hand needle and purl it, then k2 from cable needle; p2, k1, p2.
 Row 3: rep row 1.

Row 4: p2, SFC, BC, p1, FC, SBC, p2.
Rows 5 and 7: (k3, p3) twice, k3.
Row 6: p3, work BC but knit all 3 sts, p3, work FC but knit all 3 sts, p3.
Row 8: p2, BC, SFC, p1, SBC, FC, p2.
Rows 9 and 11: k2, p2, k2, p1, k1, p1, k2, p2, k2.
Row 10: p2, k2, p2, k1, p1, k1, p2, k2, p2.
Row 12: p2, FC, SBC, p1, SFC, BC, p2.
Rows 13 and 15: rep rows 5 and 7.
Row 14: p3, work FC but knit all 3 sts, p3, work BC but knit all 3 sts, p3.
Row 16: p2, SBC, FC, p1, BC, SFC, p2.
Repeat rows 1-16 for pattern.

Directions:

Right Front:

Ribbing:

With smaller needles, cast on 58 sts.

Row 1: K7 (for front band), *k1, p2, k2, p2; rep from *, end k1, p1.

Row 2: k1, p1, *k2, p2, k2, p1; rep from * to last 7 sts, k7.

Row 3: k7, *k1, p2, tw2R, p2; rep from *, end k1, p1.

Row 4: rep row 2.

Repeat these 4 rows four more times for ribbing.

Body: Change to larger needles and knit one row increasing 7 sts evenly across.(65 sts)
Set up pattern as follows (wrong side will be facing for first row):

Row 1: (k1, p1) 6 times, p2, work row 1 of Double-X Cable, p2, k3, work row 1 of Coin Cable, k3, p1, k7 (buttonhole band).

Row 2: k7, k1, p3, work row 2 of Coin Cable, p3, tw2R, work row 2 of Double-X Cable, tw2R, (k1, p1) 6 times.

Row 3: (k1, p1) 6 times, p2, work row 3 or Double-X Cable, p2, k3, work row 3 of Coin Cable, k3, p1, k7 (buttonhole band).

Row 4: k7, k1, p3, work row 4 of Coin Cable, p3, k2, work row 4 of Double-X Cable, k2, (k1, p1) 6 times.

These four rows set pattern. Continue to work even in set pattern until piece measures 16 inches.

Shape armholes:

Keeping in pattern, bind off 5 sts at armhole edge. Work one row even, then bind off 3 sts at armhole edge, then decrease 1 st at armhole edge on following alternate rows 5 times. (52 sts).

Work even until armhole measures 8 ½ inches.

Shape Neck:

Place 15 sts at neck edge on stitch holder.

Bind off 3 sts at neck edge.

Work 1 row even.

Bind off 2 sts at neck edge.

Then dec 1 st at neck edge of next 3 right side rows. Work even until armhole measures 10 ½ inches.

Bind off remaining sts.

Left Front:

Ribbing:

With smaller needles, cast on 58 sts.

Row 1: p1, k1, *p2, k2, p2, k1; rep from * across to last 7 sts, k7 (button band).

Row 2: k7, *p1, k2, p2, k2; rep from *, end p1, k1.

Row 3: p1, k1, *p2, tw2R, p2, k1; rep from * across to last 7 sts, k7 (button band).

Row 4: rep row 2.

Repeat these 4 rows four more times for ribbing.

AT THE SAME TIME, make first buttonhole on row 7 of front band sts by binding off center three sts of front band sts (and then casting on three sts on following row).

REPEAT buttonholes every 22 rows of front band.

Body: Change to larger needles and knit one row, increasing 7 sts evenly across. (65 sts)

Set up pattern as follows (wrong side facing for first row):

Row 1: K7 (button band), p1, k3, work row 1 of Coin Cable, k3, p2, work row 1 of Double-X cable, p2, (p1, k1) 6 times.

Row 2: (p1, k1) 6 times, tw2R, work row 2 of Double-X cable, tw2R, p3, work row 2 of Coin Cable, p3, k1, k7.

Row 3: K7 (button band), p1, k3, work row 3 of Coin Cable, k3, p2, work row 3 of Double-X cable, p2, (p1, k1) 6 times.

Row 4: (p1, k1) 6 times, k2, work row 4 of Double-X cable, k2, p3, work row 4 of Coin Cable, p3, k1, k7.

These four rows set pattern. Continue to work even in set pattern until piece measures 15 inches.

Shape armholes:

Keeping in pattern, bind off 5 sts at armhole edge. Work one row even, then bind off 3 sts at armhole edge, then decrease 1 st at armhole edge on following alternate rows 5 times. (52 sts).

Work even until armhole measures 8 ½ inches.

Shape Neck:

Place 15 sts at neck edge on stitch holder. Bind off 3 sts at neck edge, then work one row even.

Bind off 2 sts at neck edge, then work 1 row even.

Dec 1 st at neck edge of next 3 right side rows. Work even until armhole measures 10 ½ inches.

Bind off remaining sts.

Back:

With smaller needles, cast on 108 sts.

Ribbing:

Row 1: p1, k1, *p2, k2, p2, k1; rep from * to last st, p1.

Row 2: k1, *p1, k2, p2, k2; rep from *, end p1, k1.

Row 3: p1, k1, *p2, tw2R, p2, k1; rep from * across to last st, p1.

Row 4: rep row 2.

Repeat these four rows 4 more times.

Change to larger needles and knit next row, increasing 21 sts evenly across. (129 sts)

Body:

Set up pattern as follows:

Row 1: (k1, p1) 6 times, p2, work row 1 of Double-X Cable, (p2, k3, work row 1 of Coin Cable, k3) three times, p2, work row 1 of Double-X Cable, p2, (p1, k1) 6 times.

Row 2: (k1, p1) 6 times, tw2R, work row 2 of Double-X Cable, tw2R, (p3, work row 2 of Coin Cable, p3, tw2R) three times, work row 2 of Double-X Cable, tw2R, (p1, k1) 6 times.

Row 3: (k1, p1) 6 times, p2, work row 3 of Double-X Cable, (p2, k3, work row 3 of Coin Cable, k3) three times, p2, work row 3 of Double-X Cable, p2, (p1, k1) 6 times.

Row 4: (k1, p1) 6 times, k2, work row 4 of Double-X Cable, k2, (p3, work row 4 of Coin Cable, p3, k2) three times, work row 4 of Double-X Cable, p2, (p1, k1) 6 times.

These four rows set up pattern.

Continue to work even in pattern until piece measures 16 inches.

Shape Armholes:

Keeping in pattern, bind off 5 sts at beginning of next two rows, then bind off three sts at beginning of next 2 rows, then decrease 1 st at armhole edge on following 5 right side rows. (103 sts)

Work even until armhole measures 10 ½ inches. Bind off.

Sleeves (make 2):

With smaller needles, cast on 44 sts

Ribbing:

Row 1: p1, (p2, k2, p2, k1) 5 times, p1.

Row 2: k1, (p2, k2, p2, k2) 5 times, k1.

Row 3: p1, (p2, tw2R, p2, k1) 5 times, p1.

Row 4: rep row 2.

Repeat these four rows 4 more times.

Change to larger needles, and knit 1 row, increasing 11 sts evenly across. (55 sts).

Set up pattern as follows:

Row 1: (k1, p1) 5 times, k2, p2, work row 1 of Coin Cable, p1, work row 1 of Wave Cable, p1, work row 1 of Coin Cable, k2, p2, (k1, p1) 5 times.

Row 2: (p1, k1) 5 times, tw2R, p2, work row 2 of Coin Cable, k1, work row 2 of Wave Cable, k1, work row 2 of Coin Cable, p2, tw2R, (p1, k1) 5 times.

Row 3: (k1, p1) 5 times, p2, k2, work row 3 of Coin Cable, p1, work row 3 of Wave Cable, p1, work row 3 of Coin Cable, k2, p2, (k1, p1) 5 times.

Row 4: (p1, k1) 5 times, k2, p2, work row 4 of Coin Cable, k1, work row 4 of Wave Cable, k1, work row 4 of Coin Cable, p2, k2, (p1, k1) 5 times.

These 4 rows set pattern.

Continue working in pattern, increasing 1 st each side of next and every following 6th row, until there are 83 sts on needle. Work even until sleeve measures 18 ½ inches.

Shape Sleeve Cap:

Keeping in pattern, Bind off 5 sts at beg of next two rows, then bind off 3 sts at beg of following two rows.

Dec 1 st each side every right side row 5 times.

Dec each end of every 4th row three times.

Dec each end of every right side row four times.

Bind off 3 sts at beg of next four rows.

Bind off 4 sts at beg of next two rows.

Bind off rem sts.

Finishing:

Sew shoulder seams.

Sew sleeve seams.

Sew sleeves into armholes.

Hood:

With larger needles, cast on 50 sts.

Set up pattern as follows:

Row 1: p2, work row 1 of Wave Cable, p2, work rem 36 sts in seed stitch (k1, p1 across).

Row 2: Work 36 sts in seed stitch, tw2R, work row 2 of Wave Cable, tw2R.

Row 3: p2, work row 3 of Wave Cable, p2, work rem 36 sts in seed stitch.

Row 4: Work 36 sts in seed stitch, k2, work row 4 of Wave Cable, k2.

These four rows set pattern.

Work even until 10 repeats of Wave Cable have been made.

Bind off.

Sew back seam of hood (the back of the hood is where the seed stitch is).

Sew hood onto neck.

Sew buttons to button band to match buttonholes.